

SC100

Master of small space cleaning





Easy to fill the solution tank with water in any low sink



The SC100 clean in a position height of just 25 cm



Apart from getting faster cleaning of hard floors, you will also be able to freshen up smaller carpets, including removal of spots, by adding an optional carpet kit. Brush and squeegees can be removed without any tool making daily maintenance operations easy and fast

Compact upright scrubber dryer for narrow areas

The Nilfisk SC100 is a small scrubber dryer for in-depth cleaning of narrow areas. Compared to the manual solution of mop and bucket, this compact upright machine will get the job done much faster offering a superior cleaning performance.

The value-for-money choice for small shops, schools, restaurants, coffee shops, gas stations, bakeries, fast food chains, hotels, cleaning companies, and also in-home cleaning.

EASY, FAST AND PRODUCTIVE CLEANING

- Scrub and dry in one single pass giving fast access to the cleaned area
- Two solution flow settings for efficient cleaning and red LED light indicator alarms when out of solution
- Ergonomic handle for comfortable one or two handed operation
- Easy to carry and to transport from one place to another – only 12 kg weight

SAFE AND HYGIENIC ENVIRONMENT

- Only use clean solution: no dirt and bacteria spread everywhere on the floor
- Flat recovery tank design and full access makes it fast and easy to clean 100% of the recovery tank from any dirt
- Can do what others cannot: Low deck profile and offset allow to clean difficult to reach areas for real floor cleaning
- Easy and quick maintenance operations help the operator to always have a clean and functional machine

REDUCED TOTAL COST TO CLEAN

- Flexible cleaning: Eco flow for light cleaning and double flow for spot or hard cleaning
- All machine functions stop in upright position: No brush or squeegee on the floor and no solution spill when the machine is not in use
- Robust aluminum frame design guarantee high reliability and long life time
- Detergent dosing cap on solution tank to always have the right percentage of detergent



Each tank can be removed quickly and carried in one hand.



The optional manual suction hose is ideal for cleaning any unreachable area or spot cleaning.



You will remain in full control of the scrubber dryer thanks to the intuitive touch display with two water settings and a solution indicator, alerting you if the tank is empty

Reliability is also our mantra when it comes to service

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: three levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

Service Solutions Standard – Professional maintenance

Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.

Service Solutions Plus – Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.

Service Solutions Premium – Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.

The ergonomic handle can be tilted down for effective cleaning in low positions. And the detachable cord is easy stored on the handle hook.



Squeegees can be raised for double scrubbing performance to remove any persistent dirt or spots.



The detachable tanks are easy empty/refill in any low sink.



Offset brush enables cleaning near walls.



Touch display for intuitive control of the machine and Low water alert prevents using the machine without solution.



Water flow control with two settings securing perfect cleaning results even in filthy areas.



When the machine is parked upright all functions will automatically stop and no squeegee or brush will be on the floor.



Both vacuum motor filter and solution filter protect sensitive components from failures and gives a reliable cleaning machine.



Technical specifications

Description	Unit	SC100	SC100 Full package
Voltage	V	220-240	220-240
Rated power	W	800	800
Sound pressure level	dB(A)	72 ± 2	72 ± 2
Productivity rate theoretical/ actual	m²/h	620/310	620/310
Scrubbing width	mm	310	310
Solution/recovery tank	litre	3/4	3/4
Brush speed	rpm	2100	2100
Length x width x height	cm	40x36x115	40x36x115
Weight (machine only)	kg	12	12
Operating weight	kg	15	15
FEATURES:			
10m detachable cord		●	●
Out of solution LED indicator		●	●
Two solution level		●	●
Tank in tank solution		●	●
Two hands working handle		●	●
Manual suction hose		○	●
Carpet kit including brush and squeegee		○	●
Delivered ready to use		●	●

● = Standard feature
○ = Optional feature

Sharpe Maintenance Services Ltd

Tel: 0116 254 6049

Email: sms@sharpemaintenance.co.uk

www.sharpemaintenance.co.uk